


Accessory

HY-8-101

Capacity	Type
0.5t-3t	HY-8-101-0.5/3t
5t	HY-8-101-5t
10t-15t	HY-8-101-10/15t
20t-25t	HY-8-101-20/25t
30t	HY-8-101-30t
50t	HY-8-101-50t

	D	H	H1
0.5t-3t	35(1.38)	44.9(1.77)	24.9(0.98)
5t	42(1.65)	56.7(2.23)	34.7(1.37)
10t-15t	57(2.24)	80.7(3.18)	66.7(2.63)
20t-25t	70(2.76)	85(3.35)	67(2.64)
30t	70(2.76)	91(3.58)	70(2.76)
50t	85(3.35)	102(4.04)	82(3.23)



Hm-8-401

Capacity	Type
0.5t-2t	HM-8-401-0.5/2t
2.5t-3t	HM-8-401-2.5t/3t
5t	HM-8-401-5t
10t-15t	HM-8-401-10/15t
20t	HM-8-401-20t



	0.5t~3t	5t	10t~15t	20t
L	240 (9.45)	300 (11.8)	355.6 (14.0)	406.4 (16.0)
LI	114.3 (4.5)	152.4 (6.0)	203.2 (8.0)	228.6 (9.0)
L2	214.6 (8.45)	249.2 (9.81)	304.8 (12.0)	342.9 (13.5)
L3	88.9 (3.5)	101.6 (4.0)	152.4 (6.0)	165.1 (6.5)
H	104.8 (4.13)	152.4 (6.0)	190.5 (7.5)	228.6 (9.0)
H1	25.4 (1.0)	42 (1.65)	44.5 (1.75)	50.8 (2.0)
H2	25.4 (1.0)	42 (1.65)	44.5 (1.75)	50.8 (2.0)
W	114.3 (4.50)	152.4 (6.0)	203.2 (8.0)	228.6 (9.0)
W1	88.9 (3.5)	101.6 (4.0)	152.4 (6.0)	165.1 (6.5)
D	11 (0.43)	17.5 (0.69)	20.6 (0.81)	25.5 (1.0)

HM-8-425

Capacity	Type
1t-3t	HM-8-425-1/3t
5t	HM-8-425-5t
10t-15t	HM-8-425-10/15t
20t-25t	HM-8-425-20/25t

boundary dimension

		L	L1	L2	A	A1	B	B1	C	C1	H	H1	H2	OG	OP	T
1t-3t	(mm)	286	32	226	150	124	128	102	112	80	102	28	23	11	13	3
	(inch)	11.26	1.26	8.90	5.91	4.88	5.04	4.02	4.41	3.15	4.02	1.101	0.91	0.43	0.51	0.12
5t	(mm)	317	32	257	178	146	152	120	152	102	130	38	30	5	17	3
	(inch)	12.50	1.26	10.12	7.01	5.75	5.98	4.72	5.98	4.02	5.12	1.508	1.18	0.69	0.67	0.12
10t-15t	(mm)	360	32	295	184	152	154	122	154	106	168	45	45	22	21	3
	(inch)	14.17	1.26	11.61	7.24	5.98	6.06	4.80	6.06	4.17	6.61	1.772	1.77	0.87	0.83	0.12
20t-25t	(mm)	400	25	350	220	170	220	170	220	170	213	55	55	26	26	0
	(inch)	15.75	0.98	13.78	8.66	6.69	8.66	6.69	8.66	6.69	8.39	2.17	2.17	1.02	1.02	0.00



HM-8-426

Capacity	Type
1t-3t	HM-8-426-1/3t
5t	HM-8-426-5t
10t-15t	HM-8-426-10/15t
20t-25t	HM-8-426-20/25t

		L	L1	L2	A	A1	B	B1	C	C1	H	H1	H2	T	OP	OG	D
1t-3t	(mm)	286	32	226	150	124	128	102	112	80	106.9	28	23	96	11	13	1.6
	(inch)	11.26	1.26	8.9	5.91	4.88	5.04	4.02	4.41	3.15	4.21	1.1	0.91	3.78	0.43	0.51	0.06
5t	(mm)	317.5	32	257	178	146	152	120	152	102	146.2	38	30	99	17.5	17	1.6
	(inch)	12.5	1.26	10.12	7.01	5.75	5.98	4.72	5.98	4.02	5.75	1.5	1.18	3.9	0.69	0.67	0.06
10t-15t	(mm)	360	32	295	184	152	154	122	154	106	215.7	45	45	105	22	21	3
	(inch)	14.17	1.26	11.61	7.24	5.98	6.06	4.8	6.06	4.17	8.49	1.77	1.77	4.13	0.87	0.83	0.12
20t-25t	(mm)	400	25	350	220	170	220	170	220	170	255.7	55	55	115	26	26	3
	(inch)	15.75	0.98	13.78	8.66	6.69	8.66	6.69	8.66	6.69	10.07	2.17	2.17	4.53	1.02		0.12

